## SATYRIDS

Euptychia hesione Sulz. Euptychia hermes F.

## LYCAENIDS

Thecla hemon Cr.
Thecla meton Cr.
Thecla linus F.
Thecla basilides Geyer
Thecla orcidia Hew.
Thecla philinna Hew.
Thecla nubes Druce

Leptotes cassius Cr.

# RIODINIDS

Calephelis nilus laverna Gdmn. & Salvn.

Nymphidium onaeum Hew. Nymphidium calyce F.

# HESPERIDS

Staphylus vulgata Kaye
Hesperia syrichtus F.
Eudamus proteus L.
Polites otho Smith
Arotis sirene Mab.
Milanion hermes Cr.

I would like to express how indebted I am to Mr. Barcant and also to Mr. G. Tite, of Tring Museum, for naming the majority of the butterflies I took on Trinidad, as well as to Mr. D. S. Fletcher, Mr. A. Hayes and Mr. T. G. Howarth of the Entomological Department of the British Museum (Natural History), for their help in the identification of a number of species emunerated above.

# Breconshire and Monmouthshire Entomology

By J. M. CHALMERS-HUNT

# INTRODUCTION

As much of Breconshire is terra incognita to the Lepidopterist, I decided to investigate this year a few of its unexplored areas, and on May 25 arrived by car at Crickhowell, prepared for a fortnight's entomologising. The weather was particularly favourable during my stay, and daytime excursions into remote parts of this picturesque corner of the Principality afforded me much interest and enjoyment, as did a number of visits to localities in the ancient forest terrain of east Monmouthshire, so renowned for its entomological richness.

I undertook no night expeditions, but my friend Mr. J. P. Sankey-Barker of Llangattock, most kindly invited me to run an m.v. trap on the lawn of his beautiful garden. The nights were propitious, and among the more notable species to occur in the trap were *Harpyia bicuspis* (Borkh.), *Acronycta alni* (L.) (a melanic form), *A. menyanthidis* (Esp.), and *Laconobia biren* (Goeze)=glauca (Hübn.)—the last two occurring here apparently at about the most southerly edge of their range.

There is no published account of the butterflies and moths of Breconshire, but I have a MS. list of its Lepidoptera containing so far as I am aware every known record. I have therefore indicated with an asterisk as probably new to the county, any species noted by me during my travels which was not included in that list. I should add that besides Lepidoptera, it is my custom when working relatively neglected areas to take *en passant* representatives of other insect orders, and a list of some of these is appended.

The following is a note of the localities visited from which insects were recorded. *Breconshire*: Beulah, boggy marshland, 1.6; Brecon, flowery waysides, 27.5; Builth Wells, wood, 6.6; Craig-y-Cilau Nature

Reserve, bog on carboniferous limestone outcrop, 4.6; Crickhowell, 25.5-6.6; Ffrwdgrech, mixed woodland, 27.5; Glangrwyney, waysides, 5.6; Valley of the Irfon, near Abergwesyn, 1.6; Llanbedr, 26.5; Llangattock, 26.5-5.6; Llangorse, lakeside marsh and carr, 30.5; Llangynidr, woods, canalside vegetation, 29.5; Llyswen, wood, 6.6; Mynydd Illtyd near Penpont, marshy fields and moorland, 4.6; Mynydd Llangattock, carboniferous limestone crags and rocky hillsides. 26, 29.5; Hermitage, Black Mountains, 3.6; Pontneathvaughan, 28.5; Senny Bridge, 4.6; Talybont, mixed woodland, adjacent rough grasslands, 3.6; Ty-mawr near Ystradfellte, boggy moorland, 28.5; Upper Chapel, marshy field, 1.6; Ystradfellte, cliffs and rocky places by the river Mellt, 28.5. Monmouthshire: Coed-y-Bwynydd near Bettws Newydd, National Trust wood, 5.6; Deri-fach near Abergavenny, hillside oak standards with bilberry undergrowth, carr, 2.6; Inclosure near Monmouth, mixed deciduous forest, 31.5; Tintern, woodland and adjoining marshy fields, 31.5; Usk, woodland, hedgerows and alder carr, 5.6.

The nomenclature and classification adopted is that of the Lepidoptera portion of the New Edition of Kloet and Hincks, "Check-List of British Insects", to be published shortly. My best thanks are due to Messrs J. D. Bradley, D. S. Fletcher and P. E. S. Whalley, of the Department of Entomology, British Museum, for their kindness in making available to me the typescript of this excellent list, and for permission to follow their work here prior to its publication.

Finally, I must thank the following specialists for kindly undertaking a number of determinations:—Mr. A. A. Allen, Mr. J. D. Bradley, Mr. B. H. Cogan, Mr. A. M. Hutson, Mr. D. E. Kimmins, Mr. G. E. J. Nixon, Dr. J. F. Perkins, Mr. A. C. Pont, Mr. T. Quinlan, Dr. F. Rose, Mr. M. Shaffer, Mr. K. G. V. Smith, Mr. R. W. Uffen, and Dr. I. H. H. Yarrow.

## LEPIDOPTERA

#### MICROPTERIGOIDEA

\*Micropterix thunbergella (F.), Llangynidr. M. aruncella (Scop.), Tintern. M. calthella (L.), Ffrwdgrech, on Stellaria holostea blossoms; Llyswen, on Ranunculus blossoms.

# ERIOCRANIOIDEA

Dyseriocrania subpurpurella (Haw.), Ffrwdgrech.

#### HEPIALOIDEA

Hepialus (Korscheltellus) lupulina (L.), Llangattock.

#### NEPTICULIDOIDEA

Nepticula aurella (F.), larval mines on Rubus, Redding's Inclosure and Derifach. \*Tischeria marginea (Haw.), Llangattock.

#### INCURVARIOIDEA

\*Nematopogon panzerella (F.)=schwarziellus (Z.), Llangynidr; Talybont; Coed-y-Bwynydd; Deri-fach. Nemophora degeerella (L.), Coed-y-Bwynydd. Adela reaumurella (L.)=viridella (Scop), Talybont, swarming over oak; Tintern; Redding's Inclosure; Deri-fach. \*A. rufimitrella (Scop.), Upper Chapel, plentiful, flying about in the sunshine and settling on Cardamine amara; Mynydd Illtyd, one.

#### ZYGAENOIDEA

Zygaena (Zygaena) trifolii (Esp.) ssp. palustrella Verity, Tintern.

# TINEOIDEA

\*Psychoides verhuella Bruand=verhuellella Staint., Ystradfellte, larvae

on fructification of Scolopendrium vulgare. Nemapogon cloucella (Haw.) (det. J. D. Bradley), Tintern; Hermitage. Tinea (Acedes) trinotella Thunb.=lappella sens. auct., Tintern. \*Leucoptera spartifoliella (Hübn.), Crickhowell, larva mining Cytisus scoparius. \*Caloptilia (Caloptilia) betulicola (Hering), Talybont. C. (Graeillaria) syringella (F.), Tintern. \*Phyllonorycter messaniella (Z.), Llangynidr, reared from Quercus ilex.

## YPONOMEUTOIDEA

Anthophila fabriciana (L.) Ystradfellte; Pontneathvaughan; Talybont; Senny Bridge; Builth Wells; Tintern; Deri-fach. \*Glyphipterix cramerella (F.)=fischeriella (Z.), Ffrwdgrech; Llyswen; Redding's Inclosure; Tintern; Coed-y-Bwynydd. G. fuscoviridella (Haw.), Llangynidr; Talybont; Redding's Inclosure; Tintern. \*Argyresthia (Argyresthia) pygmaeella (Hübn.), Pontneathvaughan, larva on sallow, reared. \*A. (A.) conjugella Z., Talybont, several imagines beaten from Pyrus aucuparia. Yponomeuta evonymella (L.), Ffrwdgrech, larval nest on Prunus padus. Y. plumbella (D. & S.), Usk, numerous larval webs on spindle, reared. \*Swammerdamia pyrella (Vill.) (det. J. D. Bradley), Beulah. Plutella (Plutella) xylostella (L.) = maculipennis (Curt.), Llangattock. \*Schreckensteinia festaliella (Hübn.), Talybont, three beaten from low cover.

#### GELECHIOIDEA

\*Metriotes lutarea (Haw.)=modestella (Dup.), Ffrwdgrech, imago on Stellaria holostea bloom. \*Coleophora nigricella (Steph.), Llanbedr, case on alder. \*C. laricella Hübn., Talybont, case on larch. murinipennella Dup. (gen. det. R. W. Uffen), Talybont; Hermitage. C. sylvaticella Wood, Tintern, imagines disturbed from Luzula sylvatica. \*C. alticolella Z. (gen. det. R. W. Uffen), Beulah, several. Elachista argentella (Clerck), Tintern. \*E. subalbidella Schläger Beulah, one. E. rufocinerea (Haw.), Talybont. Endrosis sarcitrella (L.), Llangattock. Esperia sulphurella (F.), Llangynidr; Coed-y-Bwynydd; Tintern. Alabonia geoffrella (L.), Tintern. \*Agonopterix propinquella (Treits.), Llangattock, one, in m.v. trap, 28.5. A. arenella (D. & S.), Llangattock, one in m.v. trap, 2.6. \*A. hyperiella Bradley =hypericella sens. auct., Builth Wells, larvae on Hypericum perforatum, reared. \*Bryotropha (Bryotropha) terella (D. & S.). Llangattock. Neofaculta ericetella (Hübn.), Craig-y-Cilau; Hermitage. Mompha epilobiella (Roemer), Ffrwdgrech, one.

#### TORTRICOIDEA

\*Cydia (Cydia) succedana (D. & S.), Upper Chapel. \*C. (Grapholita) jungiella (Clerck)=perlepidana (Haw.), Ffrwdgrech; Tintern. \*Pammene splendidulana (Guen.) (det. J. D. Bradley), Pontneathvaughan, one flying in afternoon sun. \*P. populana (F.), Crickhowell, larva on Salix caprea, reared. \*Lathronympha strigana (F.)=hypericana (Hübn.), Builth Wells, larva on Hypericum perforatum, reared. Epiblema (Epiblema) scutulana (D. & S.) (det. J. D. Bradley), Llangattock; Talybont. \*E. (Notocelia) uddmanniana (L.), Crickhowell and Redding's Inclosure, larvae on Rubus. \*Epinotia (Epinotia) sordidana (Hübn.), Llanbedr and Usk, larvae on alder. \*E. (Hamuligera) trimaculana (Don.), Senny Bridge, larva on wych elm, reared. \*E. (Evetria) immundana (F. v. R.) (det. J. D. Bradley), Llangynidr. \*E. (E.) tedella (Clerck), Talybont, imagines beaten from spruce in

swarms; Llangattock. \*E. (E.) signatana (Dougl.), Ffrwdgrech, larva on Prunus padus, reared. \*Ancylis (Ancylis) unguicella (L.), Pontneathvaughan. A. (Anchylopera) badiana (D. & S.)=lundana (F.), Tintern. A. (A.) myrtillana (Treits.), Deri-fach, larvae on bilberry, Bactra lancealana (Hübn.), Ponneathvaughan; Llangorse; Upper Chapel; Mynydd Illtyd; Tintern. Endothenia marginana (Haw.) (det. J. D. Bradley), Tintern. Hedya pruniana (Hübn.), Llanbedr, larva on sloe, reared. \*H. nubiferana (Haw)=variegana (Hübn.), Llanbedr, larvae on hawthorn, reared. Olethreutes (Argyroploce) lacunana (D. & S.), Crickhowell, larva on Chamacnerion angustifolium. Pandemis cerasana (Hübn.), Deri-fach, larva on oak, reared. Archips (Archippus) podana Scop., Deri-fach, larva on oak, reared. \*A. (Archips) xylosteana (L.) det. J. D. Bradley), Crickhowell, larva on Salix caprea, reared. \*Syndemis musculana (Hübn.) Irfon Valley; Talybont; Mynydd Illtyd; Deri-fach, flying in numbers over alders; Pontneathvaughan; Coed-y-Bwynydd. \*Clepsis (Clepsis) senecionana (Hübn.) (det. J. D. Bradley), Irfon Valley,  $\circlearrowleft$ ; Talybont,  $\circlearrowleft$ . Ptycholoma lecheana (L.), Llanbedr, larva on rose, reared. \*Capua favillaceana (Hübn.), Talybont; Tintern; Redding's Inclosure; Deri-fach. \*Ditula angustiorana (Haw.), Llanbedr, larva on rose, reared. ministrana (L.) Llangynidr; Coed-y-Bwynydd. Cnephasia interjectana (Haw.), Glangrwyney, larva on Aconitum, reared; Wells. larva on dock, reared. \*Croesia bergmanniana (L.), Senny Bridge and Llanbedr, larvae on rose, reared. \*Acleris rhombana (D. & S.)= contaminana (Hübn.), Ffrwdgrech, larvae on Prunus padus, reared; Llanbedr, larvae on hawthorn, reared; Crickhowell district, larva on Sorbus minima, reared. Hysterophora maculosana (Haw.), Redding's Inclosure. \*Falseuncaria ruficiliana (Haw.), Pontneathvaughan.

# PYRALOIDEA

\*Crambus nemorella (Hübn.)=pratellus sens. auct., Irfon Valley; Talybont; Craig-y-Cilau; Tintern. Scoparia ambigualis (Treits.) (det. M. Shaffer), Pontneathvaughan. \*Eudoria angustea Curt. (det. M. Shaffer), Llangattock, 3.6. Evergestis forficalis (L.), Llangattock. \*Eurrhypara hortulata (L.)=urticata (L.), Crickhowell; Llangattock. Pleuroptya ruralis (Scop.), Crickhowell and Redding's Inclosure, larvae on Urtica dioica.

# HESPEROIDEA

Errynis tages L., Tintern.

#### PAPILIONOIDEA

Gonepteryx rhamni L., Tintern. Pieris brassicae L., Talybont; Redding's Inclosure. P. rapi L., Ffrwdgrech. P. napi L. ssp. britannica Verity, Ffrwdgrech; Upper Chapel; Talybont; Brecon; Mynydd Illtyd; Redding's Inclosure. Anthocharis cardamines L. ssp. britannica Verity, Llangattock; Brecon; Upper Chapel; Ffrwdgrech; Llangorse; Builth Wells; Redding's Inclosure. Lycaena phlaeas L. ssp. eleus F., Talybont. Polyommatus icarus Rott., Tintern. Celastrina argiolus L. ssp. britanna Verity, Llangynidr. Nymphalis io L., Redding's Inclosure. Boloria (Clossiana) euphrosyne L., Tintern. Euphydryas aurinea Rott., Tintern, extremely abundant in one marshy field, at one point it being possible to count a score on the wing or at rest without moving one's position. Pararge aegeria L. ssp. egerides Staud., Ffrwdgrech; Talybont; Redding's Inclosure. Dira megera L.,

Talybont. Coenonympha pamphilus L., Talybont.

# GEOMETROIDEA

Cilix glaucata Scop., Llangattock. Ochropacha duplaris (L.), Llandynidr Cyclophora linearia Hübn., Redding's Inclosure. \*Scopula floslactata Haw., Talybont; Deri-fach. Xanthorhoe designata Hufn., Upper Chapel; Mynydd Llangattock; Llangorse; Llangattock; Talybont. X. spadicearia D. & S.=ferrugata sensu Haw., Llangattock; Talybont; Tintern; Redding's Inclosure. X. ferrugata Clerck=unidentaria Haw., Llangattock. X. montanata D. & S., Llangattock; Talybont; Llanbedr; Coed-y-Bwynydd. X. fluctuata L., Crickhowell; Llangat-Scotopteryx mucronata Scop. ssp. umbrifera Heydemann, Redding's Inclosure. Epirrhoe tristata L., Talybont, flying plentifully in afternoon sun in the rough open ground adjoining a conifer plantation at an altitude of about 900 ft. E. alternata Müll., Talybont. Lampropteryx suffumata D. & S., Mynydd Llangattock, two, 29.5. Ecliptopera silaceata D. & S., Llangattock; Llangynidr; Hermitage; Tintern. \*Chloroclysta truncata Hufn., Llangattock. \*Thera obeliscata Hübn., Llangattock; Talybont; Redding's Inclosure. variata D. & S., Redding's Inclosure. Electrophaes corylata Thunb., Llangynidr; Llangattock. Colostygia pectinataria Knoch, Craig-y-\*Hydriomena impluviata D. & S., Llangattock, two, both Cilau. melanic form. Operophtera brumata L., Senny Bridge, larvae on hazel, sloe, rose; Tintern, larvae on apple. Perizoma flavofasciata Thunb., Llangattock. \*Eupithecia pulchellata Steph., Llangattock. E. vulgata Haw., Llangattock; Deri-fach. E. tripunctaria H.-S.= albipunctata Haw. non Hufn., Llangattock. E. subfuscata Haw.= castigata Hübn., Talybont. E. abbreviata Steph., Llangattock, both type and a melanic form. E. lariciata Freyer, Llangynidr; Llangat-\*E. tantillaria Boisd., Talybont; Llangattock; Llangynidr; tock. Redding's Inclosure. Aplocera plagiata L., Talybont. Asthena albulata Hufn.=candidata D. & S., Talybont, three disturbed from hazel. Hydrelia flammeolaria Hufn., Llangattock, one, 30.5. Minoa murinata Scop., Redding's Inclosure; Tintern. Cepphis advenaria Hübn., Tintern. \*Lobophora halterata Hufn., Llangattock, 30.5. Petrophora chlorosata Scop., Pontneathvaughan; Upper Chapel; Llangattock; Tintern; Deri-fach. Plagodis pulveraria (L.), Llangynidr; Llangattock. \*P. dolabraria (L.), Llangattock, 30.5. Opisthograptis luteolata L., Ffrwdgrech; Llangattock. Pseudopanthera macularia L., Tintern. Apeira syringaria (L.), Llangorse, larva on Lonicera periclymenum. Odontopera bidentata (Clerck), Llangattock. Biston betularia L., of, type, Llangattock. Erannis defoliaria Clerck. Derifach, larvae abundant on oak, also on hawthorn; Crickhowell district, larva on Sorbus minima; Tintern, larva on apple; Pontneathvaughan, sallow. Menophra abruptaria Thunb., Llangattock. \*Aethalura punctulata D. & S., Llangattock. Ematurga atomaria L., Ty-mawr; Talybont. \*Bupalus piniaria L., Talybont. Cabera pusaria L., Talybont; Craig-y-Cilau. C. exanthemata Scop., Llangynidr; Llangattock.

#### BOMBYCOIDEA

Saturnia pavonia (L.), Ty-mawr. Laothoe populi L., Llangattock. Deilephila elpenor L., Llangattock.

# NOTODONTOIDEA

\*Harpyia bicuspis (Borkh.), Llangattock, two, 2.6. Eligmodonta ziczac (L.), Llangattock. Pheosia gnoma (Fabr.)=dictaeoides (Esp.) Llangattock, 28.5. P. tremula (Clerck)=dictaea (L.), Llangattock, 2.6. Pterostoma palpina (Clerck), Llangattock, 6.6.

# NOCTUOIDEA

Dasychira pudibunda L., Llangattock. Euproctis similis Fuessly, Glangrwyney, larva. Spilosoma lubricipeda L.=menthastri D. & S., Llangattock. Diaphora mendica Clerck, Llangattock, &, 30.5. Nola confusalis H.-S., Llangattock, three. Agrotis exclamationis (L.), Llangattock. A. ipsilon (Hufn.), Llangattock, 29.5, one only. \*A. puta Hübn., Llangattock, 28.5. Axylea putris L., Llangattock. Ochropleura plecta (L.), Llangattock; Tintern. Diarsia rubi (View.), Llangattock, 29.5. Amathes (Amathes) c-nigrum (L.), Llangattock. rubricosa (D. & S.), Llangattock, one, 30.5, a very dark form. Hada nana (Hufn.) = dentina (D. & S.), Llangattock, one, 4.6, a yellowishgrey form. Lacanobia thalassina Hufn., Llangattock, 2.6. L. genistae Borkh., Llangattock, 30.5, 4.6. L. oleracea L., Llangattock. \*L. biren (Goeze)=glauca (Hübn.) Llangattock, 30.5, 2.6. Ceramica pisi (L.), Llangattock. Orthosia gothica (L.), Llangattock. (Leucania) comma (L.), Llangattock. Agrochola lota Clerck, Crickhowell, larvae on sallow, bred. Acronicta (Triaena) alni (L.), one, 30.5, one, 2.6, both approximating to ab. carola Philipps, but not quite so extremely melanic as some that I have from Sheffield. A. (T.) psi (L.), Llangattock. \*A. (Pharetra) menyanthidis (Esp.), Llangattock, 6.6. A. (P.) rumicis (L.), Llangattock. Euplexia lucipara (L.), Llangattock. Apamea crenata (Hufn.), Llangattock. \*A. sordens (Hufn.) = basilinea (D. & S.), Llangattock, 29.5. \*Oligia latruncula (D. & S.), Llangattock. Charanyca trigrammica (Hufn.), Llangattock. Panemeria tenebrata (Scop.), Tintern. Colocasia coryli (L.), Llangattock, 30.5. Autographa gamma Hübn., Llangattock; Talybont; Tintern. A. pulchrina Haw., Llangattock. Abrostola triplasia (L.)= tripartita (Hufn.)=urticae (Hübn.) ("Light Spectacle"), Llangattock. Callistege mi (Clerck), Talybont. Euclidia glyphica (L.), Tintern. Phytometra viridaria (Clerck), Talybont; Tintern.

# COLEOPTERA

Llangynidr: Sinodendron cylindricum L.; Denticollis linearis L. Talybont: Geotrupes stercorarius L.; Cytilus sericeus Forst.; Lathrobium fulvipenne Grav.; Cantharis decipiens Baudi (=Metacantharis clypeata auct. part.). Brecon: Philonthus fuscipennis Mann. Ystradfellte: Cantharis decipiens Baudi; Chrysolina polita L., Lochmaea capreae L.; Dorytomus taeniatus F. Llangorse: Rhagium bifasciatum L.; Agonum thoreyi Dej.; Chrysolina polita L. Ffrwdgrech: Agriotes pallidulus Ill.; Helodes minuta L.; Pyrochroa serraticornis Scop.; Lema lichenis Voet. Upper Chapel: Athons haemorrhoidalis F.; Rhagium bifasciatum L. Irfon Valley: Dalopius marginatus L. Glangrwyney: Pyrochroa serraticornis Scop. Llangattock: Necrodes littoralis L., two in m.v. trap. Redding's Inclosure: Cantharis pellucida F. Tintern: Melandrya caraboides L. Deri-fach: Anisotoma humeralis F., about 30 examples under a white fungus attached

to a growing alder trunk. Coed-y-Bwynydd: Anaspis frontalis L. All det. A. A. Allen.

# HEMIPTERA-HETEROPTERA

Stenodema calcaratum Fall. (det. A. A. Allen), Ffrwdgrech. Dryophilocoris flavoquadrimaculatus Deg. (det. A. A. Allen), Usk.

# TRICHOPTERA

Rhadicoleptus alpestris (Kol.), 1  $\circlearrowleft$ , Pontneathvaughan. Limnephilus extricatus (McL.), 1  $\circlearrowleft$ , Pontneathvaughan. Agapetus ochripes (Curt.), 1  $\circlearrowleft$ , Llangattock. Polycentropus sp.,  $\circlearrowleft$ , Pontneathvaughan. Rhyacophila dorsalis (Curt.) 1  $\circlearrowleft$ , Tintern. All det. D. E. Kimmins.

# PLECOPTERA

Protonemura meyeri (Pict.) (det. D. E. Kimmins),  $1 \circ \varphi$ , Pontneath-vaughan. Isoperla grammatica (Scop.) (det. D. E. Kimmins),  $1 \circ \varphi$ , Ffrwdgrech. Leuctra sp.,  $1 \circ \varphi$ , Ffrwdgrech.

## NEUROPTERA

Micromus paganus (L.) (det. D. E. Kimmins), 1 Q, Llangynidr. Osmylus fulvicephalus (Scop.) (det. D. E. Kimmins), 1, Tintern.

## MECOPTERA

Panorpa germanica (L.) det. D. E. Kimmins), 1 &, Senny Bridge.

# **EPHEMOPTERA**

Ephemera danica (Mull.), 1 ♀ sub., Mynydd Illtyd; 1 ♂, 1 ♀ sub., Tintern. Ecdyonurus torrentis Kim., 2 ♂♂, Mynydd Illtyd. Rhithrogena semicolorata (Curt.) 1 ♂, Ffrwdgrech. All det. D. E. Kimmins.

# ODONATA

Calopteryx virgo (L.), 1 ♂, Builth Wells. Pyrrhosoma nymphula (Sulzer), 1 ♂, Upper Chapel. Coenagrion pulchellum (V. d. L.), Llangorse, extremely abundant, 1 ♂, 2 ♀♀ taken; Mynydd Illtyd, 1 ♀. All det. D. E. Kimmins.

# DIPTERA

## SYRPHIDAE

Ringia campestris Mg., Upper Chapel; Llangorse; Ffrwdrech. Helophilus lunulatus Mg. Llangorse. Bacha obscuripennis Mg. Senny Bridge. Melanostoma scalare F., Ffrwdgrech. Cheilosia variabilis Pzer. (det. K. G. V. Smith), Builth Wells. C. albitarsus Mg., Upper Chapel. Pyrophaena granditarsa Forst., Builth Wells. Volucella bombylans L. Llangynidr. Eristalis horticola Deg., Llangynidra. Leucozona lucorum L., Coed-y-Bwynydd. All det. K. G. V. Smith.

# EMPIDIDAE

Empis tessellata F., Ffrwdgrech; Builth Wells. Rhamphomyia stigmosa Mcqut., Irfon Valley. R. (Lundstroemiella) hybotina Zett., Ffrwdgrech. All det. K. G. V. Smith.

## TIPULIDAE

Limnophila (Limnophila) punctata Schrank, Beulah; Llangorse. Lipsothrix remota Walker, Ystradfellte. Both det. A. M. Hutson.

## PSYCHODIDAE

?Psychoda sp. (det. A. M. Hutson), Llangorse,

## SCIOMYZIDAE

Knutsonia albiseta Scop., &, Llangorse. Sepedon spinipes spinipes Scop., &, Llangorse. Both det. B. H. Cogan.

## CHIRONOMIDAE

Chironomus (Chironomus) plumosus L. (det. A. M. Hutson), Llangorse. Stratiomylidae

Microchrysa polita L. (det. K. G. V. Smith), Senny Bridge.

## SCATOPHAGIDAE

Scatophaga merdaria F. (det. A. C. Pont), J, Redding's Inclosure.

#### RHAGIONIDAE

Atherix ibis F. (det. K. G. V. Smith), Builth Wells.

#### SEPSIDAE

Nemopoda nitidula Fall. (det. A. C. Pont), Ystradfellte.

## BIBIONIDAE

Bibio pomonae F. (det. A. M. Hutson), Ffrwdgrech.

## PTYPHOPTERIDAE

Ptyphoptera contaminata L. (det. A. M. Hutson), Llangorse.

#### MUSCIDAE

Phaonia signata Mg. (det. A. C. Pont), Q, Coed-y-Bwynydd.

## ANTHOMYIIDAE

Hylemya strenua Desv. (det. A. C. Pont), 3, Coed-y-Bwynydd, 3, Ffrwdgrech.

# HYMENOPTERA

- Bombys lapidarius L., Talybont. B. agrorum F., Ffrwdgrech. B. lucorum L., Mynydd Llangattock, 26.5. Psithyrus sylvestris Lep., Ffrwdgrech. P. bohemicus Seidl., Talybont. Formica fusca L., Senny Bridge. F. rufa L., Deri-fach. Lasius niger L., Crickhowell. All det. I. H. H. Yarrow.
- Selandria serva (F.) (det. J. Quinlan), J, Llangorse. Dolerus aeneus Htg. (det. J. Quinlan), J, Ystradfellte. Dolerus sp. (det. J. Quinlan), J, Llangynidr. Eubadizon extensor L. (det. G. E. J. Nixon), Llanbedr, bred ex larva of Acleris rhombana (D. & S.) (Lep. Torticoidea). Mesoleius sp. (det. J. F. Perkins), J, Ffrwdgrech.

St. Teresa, Hardcourts Close, West Wickham, Kent. November 17th. 1968.

Late Appearance of Pheosia gnoma Fabr. and Blastobasis decolorella Woll.—Whilst inspecting my M.V. trap on the evening of 27th November 1968, I was surprised to see a perfect specimen of *P. gnoma* sitting on the wall nearby. Specimens of the first and second broods were quite frequent in the trap, so there was presumably a partial third brood.

A few days later, I found a fresh specimen of *B. decolorella* in the trap. This species is quite frequent along this stretch of the East coast. In 1967 a fresh specimen appeared towards the end of December. I mentioned this to Mr. S. Wakely, who suggested that this might have been a third brood. Could it be that this species has a regular partial third brood?—H. E. Chipperfield, The Shieling, Walberswick, Suffolk. 29.xii.1968.